JOURNAL OF ALLOYS AND COMPOUNDS VOLUME 201, NUMBERS 1–2, NOVEMBER 12, 1993

Contents

Letters

A Mössbauer study of a new intermetallic phase $Nd_2(Fe,Ti)_{19}$ and its nitride L1
J.M. Cadogan (Kensington, NSW, Australia), R.K. Day, J.B. Dunlop and A. Margarian (Lindfield, NSW, Australia)

Electrical resistivity, thermopower and thermal conductivity studies in RNiGe (R ≡ Gd, Tb, Dy, Er, Ho, Y) systems L5
C.S. Garde, J. Ray and G. Chandra (Bombay, India)

Phase equilibria of the Nd–Sn system in the 55–80 at.% Sn range L9
A. Saccone, D. Macció and R. Ferro (Genoa, Italy)

Thermal analysis in the ternary Nd–Mn–Sn system L13
D. Macció, A. Saccone and R. Ferro (Genoa, Italy)

Ein Beitrag zur Phase $Al_{0,89}Ga_{0,11}VO_4$. L15
C. Müller und Hk. Müller-Buschbaum (Kiel, Deutschland)

High-pressure phase and compressibility of NpSe L19
M. Gensini (Oak Ridge, TN, USA), U. Benedict and J. Rebizant (Karlsruhe, Germany)

Effect of Ce on the microstructure of melt-spun Al–Fe–Ti alloy ribbons L21
Y.L. Tang and N.F. Shen (Zhengzhou, China)

Regular Papers

Superhard boride layer deposition on a carbide–cobalt hard alloy 1
Z.T. Zahariev and M.I. Marinov (Sofia, Bulgaria)

Darstellung und Kristallstruktur von Ca_5Zn_3 5
Ch. Druska und P. Böttcher (Düsseldorf, Deutschland)

Crystal structure and magnetic properties of the compound FeN 11
K. Suzuki (Tsuruoka, Japan), H. Morita, T. Kaneko, H. Yoshida and H. Fujimori (Sendai, Japan)

Yb–Pb intermetallic compounds: diffractometry and heat capacity measurements 17
G. Borzone, N. Parodi, R. Ferro (Genoa, Italy), M. Gambino and J.P. Bros (Marseille, France)

The microstructures and magnetic properties of some cast and annealed Pr–Fe–Cu–B alloys. 23
G.J. Mycock (Widnes, UK), R.N.J. Faria and I.R. Harris (Birmingham, UK)

The effects of nitrogen uptake on $Y_2Fe_{14}B$: structural, microstructural and magnetic characterizations. 29
R. Barrett, D. Fruchart, J.L. Soubeyroux, R. Ferre (Grenoble, France), R. Fruchart (Saint-Martin d'Hères, France) and A. Stergiou (Grenoble, France)

The resistivities of liquid K–Ga alloys. 37
T. Itami (Sapporo, Japan), R. Xu and W. van der Lugt (Groningen, Netherlands)

The tin-rich side of the rare earth–tin systems (R = Gd, Tb, Dy, Ho, Er, Tm, Lu and Y). 43
A. Palenzona and P. Manfrinetti (Genoa, Italy)

Hydrogen isotope separation using particle beds of $LaNi_3Al_2$ hydride 49
S. Fukada, K. Fuchinoue and M. Nishikawa (Fukuoka, Japan)

Caractérisation de trois nouvelles phases ternaires, Nb(Pd, Al)$_2$ et Nb(Ru, Al)$_2$ de type $MgZn_2$, et $NbRu_2Al$ de type BiF_3, dans les systèmes Nb–Pd–Al et Nb–Ru–Al 57
P. Cerba, M. Vilasi, B. Malaman et J. Steinmetz (Vandoeuvre les Nancy, France)

Magnetic properties and ^{57}Fe Mössbauer effect in $UFe_{10-x}Ni_xSi_2$ alloys 61
W. Suski, F.G. Vagizov, K. Wochowski and H. Drulis (Wrocław, Poland)

Interaction of tantalum with diatomic and atomic oxygen at low pressures 67
A.G. Gusakov, S.A. Raspopov, A.A. Vecher and A.G. Voropayev (Minsk, Belarus)

The magnetic properties of iridium in mixed-metal oxides 73
A.V. Powell (Edinburgh, UK), J.G. Gore and P.D. Battle (Oxford, UK)

Elsevier Sequoia

Structural and magnetic properties of new rocksalt-related compounds of ruthenium $Li_2(M_{1/2}Ru_{1/2})O_3$; M = Fe, Co, Ni 85
S.H. Kim and P.D. Battle (Oxford, UK)

The standard molar Gibbs free energy of formation of $SrMoO_3$(s) 99
S. Dash, Z. Singh, R. Prasad and D.D. Sood (Bombay, India)

Synthesis and structural characterization of two intercalated lithium and sodium copper iron selenides: $LiCuFeSe_2$ and $NaCuFeSe_2$ 103
J. Llanos, C. Contreras-Ortega, J. Páez, M. Guzmán and C. Mujica (Antofagasta, Chile)

$Yb_4Mg_3H_{14}$ with $Ca_4Mg_3H_{14}$-type structure 105
F. Gingl, K. Yvon (Geneva, Switzerland) and P. Fischer (Villigen PSI, Switzerland)

Magnetic phase diagram of $TbRh_{2-x}Ru_xSi_2$ in high magnetic field 109
V. Ivanov, L. Vinokurova (Moscow, Russian Federation) and A. Szytuła (Kraków, Poland)

Rare earth–nickel alloy for hydrogen compression 115
M. Au and Q. Wang (Hangzhou, China)

Crystal structure of the Zr_3Pd_4 phase 121
L.A. Bendersky, J.K. Stalick and R.M. Waterstrat (Gaithersburg, MD, USA)

Thermodynamic properties of the rare earth borides and carbides in a wide temperature range 127
A.S. Bolgar, V.B. Muratov, A.V. Blinder, A.I. Kryklya and A.P. Suodis (Kiev, Ukraine)

Nickel-enhanced grain growth in tungsten wire 129
I.-H. Moon, K.-Y. Kim, S.-T. Oh and M.-J. Suk (Seoul, South Korea)

Magnetic properties of (U, M)O_{2+x} solid solutions with fluorite structure (M ≡ alkaline earth elements, rare earth elements) 139
Y. Hinatsu (Ibaraki, Japan)

Phase transformations in the HfV_2–D system 145
A.V. Skripov (Stuttgart, Germany), M.Yu. Belyaev, A.P. Stepanov (Ekaterinburg, Russian Federation), Z.V. Dobrokhotova, L.N. Padurets, E.I. Sokolova and A.L. Shilov (Moscow, Russian Federation)

On the structural and magnetic properties of the $CePt_{5-x}Al_x$ system 151
Z. Blazina and S.M. Westwood (Durham, UK)

Synthesis and characterization of some new ternary uranium transition metal silicides U_2TSi_3 (T ≡ Fe, Co, Ni, Cu, Ru, Rh, Pd, Os, Ir, Pt, Au) with disordered AlB_2- and α-$ThSi_2$-type structures 157
R. Pöttgen (Münster, Germany) and D. Kaczorowski (Wrocław, Poland)

Magnetic properties of rare earth chromates $RCrO_4$ (R ≡ Nd, Sm and Eu) 161
A. Morales-Sánchez, F. Fernández and R. Sáez-Puche (Madrid, Spain)

Phase relations in the Al–Ta system: on the translational symmetries of Al_3Ta_2 and AlTa 167
S. Mahne, F. Krumeich and B. Harbrecht (Bonn, Germany)

The hydriding and dehydriding kinetics of some $LaNi_{5-x}Al_x$ alloys 175
W. Zhang, J. Cimato and A.J. Goudy (West Chester, PA, USA)

Lithium–lanthanum double chromates 181
P. Melnikov (São Paulo, Brazil)

Magnetic coupling in rare earth–cobalt compounds of the type RCo_3 185
Q.A. Li, G.F. Zhou, N. Tang, F.R. de Boer (Amsterdam, Netherlands) and K. H. J. Buschow (Eindhoven, Netherlands)

Crystallographic data and magnetic properties of new RCoGe (R ≡ La–Nd) compounds from susceptibility measurements and neutron diffraction study 191
R. Welter, G. Venturini, B. Malaman (Vandoeuvre les Nancy, France) and E. Ressouche (Grenoble, France)

Darstellung und Kristallstrukturen von CaAuAl, CaAuGa, YbAuAl, YbPdAl und YbPtAl (im TiNiSi-Typ) und CaPdAl einer Variante des PbFCl-Typs 197
G. Cordier, T. Friedrich, R. Henseleit, A. Grauel, U. Tegel, C. Schank and C. Geibel (Darmstadt, Deutschland)

A new family of actinide ternary intermetallic compounds 203
M.N. Peron, Y. Kergadallan, J. Rebizant, D. Meyer, J.M. Winand, S. Zwirner (Karlsruhe, Germany), L. Havela (Garching, Germany), H. Nakotte (Amsterdam, Netherlands), J.C. Spirlet (Karlsruhe, Germany), G.M. Kalvius (Garching, Germany), E. Colineau, J.L. Oddou, C. Jeandey and J.P. Sanchez (Grenoble, France)

The crystal structure of $Yb_3Au_{5.5}Ga_{5.5}$ – a novel derivative of the La_3Al_{11} type of structure 209
Yu. Grin, M. Ellner, B. Predel and K. Peters (Stuttgart, Germany)

Measurement and calculation of the SmI_2–AI (A ≡ Na, K, Rb, Cs) phase diagrams 217
Z. Qiao, W. Zhuang, S. Wu, S. Wang and X. Zhao (Beijing, China)

Le système binaire Pt–Si 223
R. Massara et P. Feschotte (Lausanne, Switzerland)

Temperature *vs.* heating rate transformation diagram for a transition from the amorphous to the nanocrystalline state 229
K. Lu (Shenyang, China), R. Lück and B. Predel (Stuttgart, Germany)

Zur Kenntnis eines Oxocobaltats(III) vom $Pb_3GeAl_{10}O_{20}$-Typ 235
P. Sonne und Hk. Müller-Buschbaum (Kiel, Deutschland)

A. c. magnetic susceptibility measurements to determine the superconducting parameters related to morphology and structure of $Nb_{0.4}Ti_{0.45}Ta_{0.075}Zr_{0.075}$ tapes 239
B. Zhang, P. Fabbricatore, G. Gemme, R. Musenich, R. Parodi (Genoa, Italy) and H.R. Khan (Schwäbisch Gmünd, Germany)

Thermodynamic description of quasi-ternary systems $(M_kN_{1-k})(X_lY_{1-l})$ based on a four-particle cluster model 245
V. Leute (Münster, Germany)

Synthesis and crystal structure of F-type erbium sesquisulfide, F-Er_2S_3 255
C.M. Fang, A. Meetsma, G.A. Wiegers and G. Boom (Groningen, Netherlands)

Zur Kristallstruktur von Strontiumperrhenat-Sesquihydrat $Sr(ReO_4)_2 \cdot 1{,}5H_2O$ 261
M.B. Varfolomeev, N.B. Šamarj (Moskau, Rußland), J. Fuchs und H.-J. Lunk (Berlin, Deutschland)

Ein Beitrag zur Kristallstruktur von β-$CuTmW_2O_8$ und β-$CuLuW_2O_8$ 267
Hk. Müller-Buschbaum und T. Gressling (Kiel, Deutschland)

Author Index 271

Subject Index 273